
Luz by Fibre 400d



Luz by Fibre 400d





Meet Luz – a.k.a. the cosy cardigan. From the second you feel a chill, Luz is your go-to item. The best news of all? This is an easy-peasy sewing project. The length of the sleeves and the cardigan is totally up to you and there's also discrete pockets for your convenience. Before you know it, you're bound to have made dozens of these cardigans to keep you cosy this winter. Wear Luz with or without a belt. It looks great over a prairie dress, trousers with a top – you name it! Want to be a trendsetter? You can go the daring route and turn Luz into a sleeveless jumper. Just make sure the armholes are finished neatly.




size chart (in inches)

size	XS		S		N	М		L		XL		XXL		XXXL	
	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28
body height	5' 25"	5' 38"	5' 45"	5′ 48"	5′ 51"	5' 54"	5' 58"	5′ 61"	5′ 64"	5' 64"	5′ 64"	5' 64"	5′ 64"	5′ 64"	5'64"
B (bust)	29.9	31.5	33.1	34.6	36.2	37.8	39.4	40.9	43.3	45.7	16	50.4	52.8	55.1	57.5
H (hips)	33.9	35.4	37	38.2	39.4	40.6	41.7	42.9	45.3	47.2	49.2	51.2	53.1	55.1	57.1





pattern measurements (in inches)



This chart's measurements are the pattern measurements based on the fabric type and serve as a reference. Ease has been added to the width measurements (in addition to the exact body measurements) for a more comfortable fit. Luz is designed to have a comfortable cut. Depending on the preferred cut, you could decide to go a size smaller or larger than the recommended size.

shorten or lengthen the pattern here

size	XS	S	М	L	XL	XXL	XXXL
length	43.3	43.7	44.2	45	46	47	47.7
sleeve length*	25.3	25.9	26.5	27.1	27.8	28.5	29.2
bust	38.9	42	45.2	48.3	52.3	57	61.7
hips	38.6	41.7	44.9	48	52	56.7	61.4

^{*} Including shoulder length.

Compare the stated lengths to the measured or desired lengths. Lengthen or shorten the cardigan and/or sleeves by cutting the pattern pieces at the indicated double lines. Then either increase the distance between the cut pieces by the desired amount (to lengthen), or overlap the pieces (to shorten). Make sure that the CF and CB lines and the side seams are always straight.



IMPORTANT

Adjust the amount of fabric to be used based on these alterations.

supplies







fabric	XS	S	М	L	XL	XXL	XXXL	
fabric width 43"	yd	3 3/4	3 3/4	3 3/4	3 3/4	4 3/4	5	5 ½
fabric width 55"	yd	3	3	3 1/2	3 1/2	3 3/4	3 3/4	4

The corresponding fabric layout can be found on page 6 of these sewing instructions.



fabric advice Pick the jacquard or other knit fabric of your dreams and make this fabulous cardigan. Would you like to wear Luz more like a coat? It is possible! Select a woven fabric with body. If it has a small amount of stretch, even better.

Proud to be #Sewista



pattern pieces & seam allowances (in inches)

To sew the garment as described in the instructions, draw the illustrated seam allowances around the paper pattern pieces before cutting them out. If you are using a PDF pattern, the pattern can be printed with or without seam allowance. To find out more, watch the wideo.


1. front A: 2x

2. front B: 2x

3. back: 1x on fabric fold


4. sleeve: 2x


5. belt: 1x on fabric fold




fabric layout – solid fabrics fabric width 43"

XS - XL






XS - XXL




XXXL



IMPORTANT

You only need pattern piece 5 once.

marking pattern pieces






sewing instructions




The sewing instructions explain how to make the cardigan if you don't have an overlock machine. Use a stretch stitch setting on your sewing machine to sew the seams and an overlock stitch to finish the raw edges. The seams of the cardigan can also be finished with just a 4-thread overlocker, i.e. 2 upper looper threads and 2 lower looper threads. This finishes the raw edges and sews the seams together at the same time. The seams will remain elastic.




F	front			
В	back			
CF	centre front			
СВ	centre back			
	right side			
	wrong side			






1


Pin the front A (1) to the front B (2), right sides together as shown. Sew into place right up to the marking threads.



Pin the contours of the pocket pieces together. Sew into place starting from the marking threads.




Finish the raw edges together with overlock stitching and press the seam allowance towards the front B (2).




2


Finish the edge of the facing front (illustrated in red) with overlock stitching.




Place the finished pieces 1/2 on top of each other, right sides, together and pin and sew the CB seam together.




Finish the raw edges together with overlock stitching. Press the seam allowance to one side.



Pin and sew the shoulder seam of the front and back (2). Sew up to the marking threads. Leave the needle lowered in the fabric.




Raise the presser foot and snip into the seam allowance of the front only until just before the needle. Turn the garment and lower the presser foot back down. Continue sewing up to the next marking thread.




Leave the needle in the fabric again, raise the presser foot, and snip again into the seam allowance of the front only until just before the needle. Turn the garment and lower the presser foot back down. Continue sewing.

Finish the shoulder seams with overlock stitching.




3

Fold the facing towards the wrong side so that the neckline of the facing and of the back are even. Sew into place between the marking threads.




Finish the raw edges of the neckline with overlock stitching.




4


Pin and sew the top of the sleeve (4)(= the sleeve cap) to the armhole with the markings matching. The single notch marks the front, while the double notch marks the back. The top notch should align with the shoulder seam.



Finish the raw edges together with overlock stitching.




Pin and sew the side and underarm seams in one continuous line of stitching.




Finish the raw edges together with overlock stitching.




Finish the sleeve hem with overlock stitching.



Fold the hem allowance over.




Hand sew or stitch the hem allowance into place.







Fold the facing at the bottom over toward the right side at the V notches. Stitch horizontally into place at 1 1/4" from the bottom.



Finish the hem allowance with overlock stitching.



Turn the facing the right way out and fold the hem allowance at the V notches towards the wrong side.



Hand sew or stitch the hem allowance into place.

